NAXN
BRONZE

ENERMAX
POWER. INNOVATION. DESIGN.
www.enermax.com

◤ **80 PLUS® Bronze certified**

◤ **100% Japanese electrolytic capacitors**

◤ **12cm temperature controlled silent fan**

NAXN BRONZE power supply series is 80 PLUS® Bronze certified with up to 88% efficiency, coming with 100% durable Japanese electrolytic capacitors, Active PFC circuit, and multiple protection. Besides, it helps meet the EU ErP Lot 6 requirements. NAXN BRONZE provides durability, reliability, and energy-saving designs. It is suitable for mainstream PC systems, media centers, and gaming builds.

Features

◤ **80 PLUS® Bronze certified**
Meet 80 PLUS® Bronze standard with 83-88% efficiency @ 20-100% load

Efficiency %

230VAC
115VAC

PSU load

◤ **100% Japanese electrolytic capacitors**
Highest component standards for maximum durability and stability

ENERMAX PSU + ErP Lot 6 Compliant system

1W 2W 3W 4W 5W
AC WATTS

Non ErP Lot 6 Compliant system

◤ **ErP Lot 6 ready**
Help system meet ErP Lot 6 (<1W at standby mode) with high efficiency +5Vsb circuitry
(with ErP Lot 6 enabled motherboard)

Fully continuous output @ 40°C

NAXN BRONZE's high-end components and advanced layout ensure non-stop operation

Graph: % of Max. output vs Operating ambient (°C)
- ENERMAX (red)
- Others (purple)

World ready

115-230VAC auto-adjustment input for universal use. Active PFC with PF value up to 0.99, reducing the reactive power loss to the minimum

115~230VAC

SafeGuard

Multiple protection circuitry of OVP, UVP, OPP, SCP, and SIP protects your system

Dimensions

unit:mm

140.0 mm
150.0 mm
86.0 mm

Cables & Connectors

cable	24P Mainboard	4+4P (8P) CPU	6+2P (8P) PCI-E	SATA	4P Molex	FDD
ETP350AWT	1	1	2	4	3	1
ETP500AWT	1	1	2	5	4	1

Specifications

Model Number	ETP350AWT		ETP500AWT	
AC Input Voltage	115V~230VAC, 47-63Hz, Active PFC			
AC Input Current	5A		7A	
DC Output				
	Rated	Combined	Rated	Combined
+3.3V	16A	90W	18A	110W
+5V	15A		17A	
+12V	26A	312W	38A	456W
-12V	0.3A	3.6W	0.3A	3.6W
+5Vsb	2.5A	12.5W	2.5A	12.5W
Total power	350W		500W	
Dimensions	150(W) x 86(H) x 140(D) mm			

CE FC EHC R43028 RoHS CCC SAE ✓ 10 🗑

Shipping Information				
Bar code	EAN : 4713157722386		EAN : 4713157722409	
Box dimensions	200(W) x 230(D) x 98(H) mm			
Gross weight / unit	1.3kg		1.5kg	
Carton dimensions	418(W) x 428(D) x 255(H) mm			
Q'ty / carton	8			
Gross weight / carton	11.3kg		12.9kg	